

ATTACHMENT B



Williams Equipment & Supply
9670 Dallas St., Unit J
Henderson, CO 80640

Date 4/15/2017
Number 53024
Type of Quote Dual
PO
Attn John Chrestensen/Rich Platt

Quote

Retail Purchaser Town of Castle Rock

Ship ToTown of Castle Rock

Comments Optional Equipment: 1. Omnibus Precision Power System - Joystick Control Includes: Monitor and Electronic Footage Counter Joystick controls Hose Reel Functions, Boom Functions and Both Engine RPM's - Add \$ 5,310.00

Option content is subject to engineering approval.

Model Number - V 311E/1300 L H A

Main Information

Model	311E/1300
Blower	High Volume Hydrostatic Drive Upgrade
Boom	10' Aluminum Telescoping Boom with Pendant Control Station
Hose Reel	Front Mounted, Articulating to Driver Side (Std Pivot)
Jet Rodder Hose	600' x 1" - 3000 psi Jet Rodder Hose
Water System	60 gpm/3000 psi Pump
Auxiliary Engine	John Deere Tier 4 Technology. Model: 4045HFC04 EPA Certified. 140HP @ 2400 RPM
Water Pump	GIANT

Other Items

Qty Description

- 1 1" KEG Traction Nozzle
- 1 1" KEG Torpedo Nozzle
- 1 Debris Body "Power Flush" System, 8 jets
- 1 Hydraulic Rear Door Opener, removes door grabber
- 1 6" Knife Valve with Center Post and Handle, in Lieu of the 5" Butterfly Valve (662-0125)
- 1 Heavy Reinforced Elbow "Wear Back"
- 1 Rear splash guard (2 - 10 O'clock) - tank mounted
- 1 Rubber pad on standard deflector
- 1 Winter Recirculating System for Rodder Hose
- 1 Air Purge System
- 1 1/4 turn ball valve water drain (cannot choose both 2-1/2" gate valve and 1/4 turn ball valve, only choose one)
- 1 Variable Flow Valve (Valve Only) - nozzles required
- 1 Lazy Susan Pipe Rack (Holds 5 Pipes)
- 1 Dry Decking - behind cab storage box (96")
- 2 Mirror Mounted LED Beacon/Strobe Light with Limb Guard - Whelen L21HAP LED Beacon with Whelen BGH Branch Guard
- 1 LED strobe with Limb Guard, Rear Debris Tank Mounted - Whelen L21HAP LED Beacon with Whelen BGH Branch Guard
- 1 LED Arrow Board, Rear Debris Tank Door Mounted - Whelen TA1251NF1 Traffic Arrow
- 1 Hand Held Spot Light - LED
- 1 Low Water Alarm with Light
- 1 Remote Control (Wireless): Boom, Vacuum Breaker, Throttle & Debris Body (includes Hi-Dump, if applicable). Does not include remote cable pendant controls for boom or hi dump.
- 1 Back Up Alarm
- 1 50' Capacity Retractable Hand Gun Hose Reel
- 1 Hydroexcavation package includes: 50' retractable handgun hose reel with 50' of 1/2" high pressure hose, HP/Quick disconnect, heavy duty HP unloader valve, main control ball valve, 72"x1/2" Sch. 80 Lance w/Quick Dcn., Sngl. Fwd. Spray Nozzle, Horiz. Hand.
- 1 6' x 8" Aluminum Pipe Extension
- 1 8" Quick Clamp, spare, 680-0015
- 1 Hose Footage Counter (Curb Side)

- 1 Rear Mounted Tow Hooks
- 1 Auxiliary Engine Remote Oil Drain
- 1 Remote Boom Grease Zerk Assembly (Ground Level - includes water pump drive)
- 1 Remote Debris Tank Grease Assembly (Ground Level)
- 1 Electronic Vac-Con Manual (Thumb Drive), spare
- 1 Paint: To be advised
- 1 Water Pump Remote Oil Drain

Truck Chassis Information

Pool Truck Chassis Model **Freightliner 114SD 6x4 66000GVWR DD13 450HP 4500RDS** *Pool Trucks are subject to availability.*

Qty	Description
-----	-------------

Machine Total	\$417,485.00
Delivery	\$3,900.00
Less Discount per Mike(\$11,500.00)	
Total	\$409,885.00

Offered by: Mike Williams __

Accepted by: _____

[Print to Word](#)



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net
City of Castle Rock Colorado

July 27, 2017

Elite Equipment Rental
10520 Havana Court
Brighton, CO 80601

Thank You for your interest in our Hi-Vac Corporation Aquatech B-10/1450 mounted on a 2017 Freightliner 114 SD Chassis. This unit is priced with the following features and options:

** Equipped with ROOTS Model 824 (5197 cfm, 18" Hg) **

Vacuum Unit:

10 YD debris 1450 gallon water combination unit

Included Features:

Fill hose storage basket Includes
23' extendable boom B series (Dual side mounted extension cylinders)
1 Intake tube 8" X 6' Ball & Socket (substitute style NC) - change out to HD Ring Lock
1 Extension tube 8" X 6' Ball & Socket (substitute style NC) - change out to HD Ring Lock
24"Wx20.5"Dx10"H aluminum tool box (1 standard curb side)
48"Wx20.5"Dx10"H aluminum tool box (1 standard street side)
Rear hose reel, 800' X 1" capacity
Pet cock drain on water filter
Side hand gun connection
20' X 1" black leader hose
Boom up warning light and alarm
Low water warning system, light and alarm
All lighting to be LED
6 way boom control joy stick
Drum filter assembly - Vac system
Water pump on/off switch at dump station control panel
Boom clearance lights

Water Tanks:

Dual fill system (Curb and street side locations)
Front water tank sight tubes both sides
Water Tank Signage Kit (Customer to Supply Art work)

Debris Tanks:

10 Yard Internal tank flusher
Dual floor flusher all body sizes
Splash shield, 1/2 rear door (3 o'clock to 9 o'clock with splash plate)



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net

Debris tank vibrator
Decant hose with quick connect and cap
Access steps - tank top 840

Water System:

80 GPM @ 2500 PSI water system
Unloader valve Water pressure up to 2900 PSI
1/2" low pressure hose reel -100' cap. Spring retracted (no hose)
Includes high pressure hand gun, 75' X 1/2" hose, spring reel, high pressure water system (Must order cyclone separator separately)
Curb side unloader valve control (must order Unloader valve separately)

Sewer Hose:

Sewer hose, 1" X 700', Cobra 3000 PSI
1/2" x 75' hose assembly with fittings & adjustable hand wand

Hose Reel:

Hose counter spring loaded
Rear reel dual swing arm w/support/no auto level wind
Automatic hose level wind rear reel
Intel A Count digital hose counter

Exhausters / Blowers:

ROOTS Model 824 (5197 cfm, 18" Hg)
Vacuum breaker
Cyclone separator with collection chamber

Electrical and Gauges:

Exhauster hour meter
Water pump hour meter
Wireless remote (16 function) ARRCOM
Provision split screen system, manhole & back up
Body back-up power system, 12V (in case of hydraulic failure)

Cleaning Accessories:

25' fill hose
Traffic cone holder, (space permitting) NO CONES
Flexible hose guide with 20' rope
Safety kit (5 lb. extinguisher-Triangle kit-first aid kit)

Lighting:

Strobe lights in front grill
Light kit (4 strobes body (1 each top/front rear corner), 2 strobe mirror mounted (1 each side), 6 clear LED



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net

flood (1 each top rear corner, 1 on swing arm 1 at curb side dump station 1 ea. top front), 2 boom mounted flood, 1 rear LED arrow board, 1-20' LED corded hand held light)

Vacuum Tube Tools:

Manhole tube support 8" tubes
Extension tube band lock 8" X 7'
Clamp
Gasket

Storage:

60"W X 24" Dx24" H aluminum tool box with shelf
Kelly rack BOC Horizontal Tube Rack

Manuals:

Two (2) Maintenance & Operation manuals including Recommended Spare Parts List, Troubleshooting Guide, Lube & Oil Matrix, and Winterization/De-winterization Procedures

Painting:

Sandblasted white with two coats primer and two coats of single color urethane paint. All painting is done prior to final assembly.

Installation:

Complete system will be mounted on a 2017 Freightliner 114 SD Chassis

Pricing:

Total Retail Price:	\$400,200.84
Municipal Price:	\$383,098.80

Taxes:

FET Not Included
State, Local Taxes are Not Included

Shipping:

Ex-Works, Hi-Vac Corporation, Marietta, OH



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net

John Cuevas

Elite Equipment Rentals

(970) 778-5576

mholliday@eliterentals.net



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net
City of Castle Rock Colorado

July 27, 2017

Elite Equipment Rental
10520 Havana Court
Brighton, CO 80601

Thank You for your interest in our Hi-Vac Corporation Aquatech B-10/1450 mounted on a 2017 Freightliner 114 SD Chassis. This unit is priced with the following features and options:

** Equipped with HIBON Model 840 (3800 cfm, 27" Hg.) **

Vacuum Unit:

10 YD debris 1450 gallon water combination unit

Included Features:

Fill hose storage basket Includes
23' extendable boom B series (Dual side mounted extension cylinders)
1 Intake tube 8" X 6' Ball & Socket (substitute style NC) - change out to HD Ring Lock
1 Extension tube 8" X 6' Ball & Socket (substitute style NC) - change out to HD Ring Lock
24"Wx20.5"Dx10"H aluminum tool box (1standard curb side)
48"Wx20.5"Dx10"H aluminum tool box (1standard street side)
Rear hose reel, 800' X 1" capacity
Pet cock drain on water filter
Side hand gun connection
20' X 1" black leader hose
Boom up warning light and alarm
Low water warning system, light and alarm
All lighting to be LED
6 way boom control joy stick
Drum filter assembly - Vac system
Water pump on/off switch at dump station control panel
Boom clearance lights

Water Tanks:

Dual fill system (Curb and street side locations)
Front water tank sight tubes both sides
Water Tank Signage Kit (Customer to Supply Art work)

Debris Tanks:

10 Yard Internal tank flusher
Dual floor flusher all body sizes



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net

Splash shield, 1/2 rear door (3 o'clock to 9 o'clock with splash plate)

Debris tank vibrator

Decant hose with quick connect and cap

Access steps - tank top 840

Water System:

80 GPM @ 2500 PSI water system

Unloader valve Water pressure up to 2900 PSI

1/2" low pressure hose reel -100' cap. Spring retracted (no hose)

Includes high pressure hand gun, 75' X 1/2" hose, spring reel, high pressure water system (Must order cyclone separator separately)

Curb side unloader valve control (must order Unloader valve separately)

Sewer Hose:

Sewer hose, 1" X 700', Cobra 3000 PSI

1/2" x 75' hose assembly with fittings & adjustable hand wand

Hose Reel:

Hose counter spring loaded

Rear reel dual swing arm w/support/no auto level wind

Automatic hose level wind rear reel

Intel A Count digital hose counter

Exhausters / Blowers:

HIBON Model 840 (3800 cfm, 27" Hg.)

Vacuum breaker

Cyclone separator with collection chamber

Electrical and Gauges:

Exhauster hour meter

Water pump hour meter

Wireless remote (16 function) ARRCOM

Provision split screen system, manhole & back up

Body back-up power system, 12V (in case of hydraulic failure)

Cleaning Accessories:

25' fill hose

Traffic cone holder, (space permitting) NO CONES

Flexible hose guide with 20' rope

Safety kit (5 lb. extinguisher-Triangle kit-first aid kit)

Lighting:



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net

Strobe lights in front grill

Light kit (4 strobes body (1 each top/front rear corner), 2 strobe mirror mounted (1 each side), 6 clear LED flood (1 each top rear corner, 1 on swing arm 1 at curb side dump station 1 ea. top front), 2 boom mounted flood, 1 rear LED arrow board,
1-20' LED corded hand held light)

Vacuum Tube Tools:

Manhole tube support 8" tubes
Extension tube band lock 8" X 7'
Clamp
Gasket

Storage:

60"W X 24" Dx24" H aluminum tool box with shelf
Kelly rack BOC Horizontal Tube Rack

Manuals:

Two (2) Maintenance & Operation manuals including Recommended Spare Parts List, Troubleshooting Guide, Lube & Oil Matrix, and Winterization/De-winterization Procedures

Painting:

Sandblasted white with two coats primer and two coats of single color urethane paint. All painting is done prior to final assembly.

Installation:

Complete system will be mounted on a 2017 Freightliner 114 SD Chassis

Pricing:

Total Retail Price:	\$423,599.96
Municipal Discount:	\$405,497.40

Taxes:

FET Not Included
State, Local Taxes are Not Included

Shipping:

Ex-Works, Hi-Vac Corporation, Marietta, OH



10520 Havana Court, Brighton, CO 80601 - www.eliterentals.net

John Cuevas

Elite Equipment Rentals

(970) 778-5576

mholliday@eliterentals.net



2100 Plus

Combination Single Engine Dual Stage Sewer Cleaner with Hydrostatic Driven Vacuum System Mounted on a Heavy Duty Truck Chassis

Castle Rock, Town of 2018 Budget Estimate

JOHN CHRESTENSEN

jchrestensen@crgov.com

Larry Johnson
Tel: 720 810-9423

PRODUCT DESCRIPTION

- 2100 PLUS with Single Engine Dual Stage Fan, 10 Yard Debris Body, 1500 Gallons of Fresh Water

STANDARD FEATURES

- 24" x 26" x 69" Curb Side Aluminum Toolbox
- Aluminum Fenders
- Mud Flaps
- Electric/Hydraulic Four Way Boom
- Color Coded Sealed Electrical System
- Remote Pendant Control w/35' Cord
- Vansco-Electronic Package
- Double Acting Dump Hoist Cylinder
- Handgun Assy. w/1/2" x 35' Hose w/Quick Disconnects
- 3" Y-Strainer at Water Pump Inlet
- Ex-Ten Steel Cylindrical Debris Tank
- Flexible Hose Guide
- 30 Deg. Sand Nozzle w/Carbide Inserts
- 30 Deg. Sanitary Nozzle w/Carbide Inserts
- 15 Deg. Penetrator Nozzle w/Carbide Inserts
- Nozzle Storage Rack
- Vacuum Tube Storage: Curbside (2) Pipe, Rear Door (2) Pipe
- 1" Nozzle
- 1" X 10' Leader Hose
- Flat Rear Door w/Hydraulic Locks and Door Power-up/Down, Open/Close Feature
- Dual 10" Stainless Steel Float Shut Off System/Rear Mounted
- Debris Body Vacuum Relief System
- Debris Deflector Plate
- 60" Dump Height
- Water Sight Gauge DS/PS
- Liquid Float Level Indicator
- Boom Transport Post Storage
- 3" Y-Strainer @ Water Pump w/3" Drain Valve
- Performance Package: (Hyd Variable Flow, Dual PTO's. Dual Hyd. Pumps)
- 1" Water Relief Valve for Vactor Water Pump
- Midship Handgun Coupling
- Side Mounted Water Pump
- Hose Wind Guide (Dual Roller)
- Hose Footage Counter - Mechanical
- Hose Reel Manual Hyd. Extend/Retract
- Hose Reel Chain Cover (Full)
- Tachometer/Chassis Engine W/Hourmeter
- Circuit Breakers
- LED Lights. Clearance, Back-Up, Stop, Tail & Turn
- Tow Hooks, Front and Rear
- Electronic Back-Up Alarm
- Hydraulic Tank Shutoff Valves
- 8" Vacuum Pipe Package
- Emergency Flare Kit
- Fire Extinguisher 5 Lbs.
- Water Pump Hour Meter
- PTO Hour Meter
- Vactor 2100 Plus Body Decal - Multi-Colored
- Chassis Modifications
- Vactor Manual, Partial Manual and USB Version - 1 + Dealer

ADDITIONAL FEATURES

- 3" Y-Strainer w/25' Fill Hose
- 180 Degree Rotation, 10 Ft. Hydraulic Telescoping Boom, Front Loading 8" Suction Hose
- Telescopic Boom Elbow, Hard Hat Style
- 80 GPM Variable Flow Water System
- 2500 PSI Water Pressure
- 1" x 600' Piranha Sewer Hose, 2500 PSI
- Hydraulic Extending/Rotating 15" Hose Reel (1" x 800') Capacity
- Module Paint, Dupont Imron Elite - Sanded Primer Base
- Debris Body Flush Out System
- 6" Butterfly Valve, Rear Door, 3:00 Position
- 6" Knife Valve w/Cam-Loc, Rear Door, 6:00 Position
- Standpipe and Screen for 6:00 Port
- Centrifugal Separators
- Folding Pipe Rack, Curbside
- Folding Pipe Rack, Streetside
- Rear Door Splash Shield
- Lube Manifold
- Plastic Lube Chart
- Low Water Light w/Alarm and Water Pump Flow Indicator
- Air Purge
- Front Joystick Boom Control
- Wireless Controls, including hose reel controls
- Rotatable Boom Inlet Hose, Telescoping Boom
- Cold Weather Recirculator, PTO Driven, 25 GPM
- Rodder System Accumulator- Jack Hammer on/off control w/ manual valve
- Handgun Couplers, Front and Rear
- Automatic Hose Level Wind Guide, Indexing
- Fan Flushout System
- Cyclone Washout System
- Digital Hose Footage Counter
- Handgun Hose Reel w/Spring Retract
- Rodder Pump Drain Valves
- Hydraulic Oil Temp Alarm
- Rear Directional Control, Signal Master LED Arrow Stick, 8 Lights
- Waterproof, Rechargeable, Wireless, Handheld, LED Spot Light w/12V Charger and Plug
- DOT 3 Lighting Package, 6 Federal Signal Strobe Lights, LED
- Rear Bumper Strobes, Two 5" Fed Sig Amber LED Strobes
- Worklights (2), LED, Telescoping Boom
- Four Flashing Light Assembly, Two Piece, (4) 7" Amber Lights
- Worklight, LED, Hose Reel Manhole
- Hose Reel Wrapped for Delivery
- Toolbox, Front Bumper Mounted, 16 x 12 x 18 w/(2) LED Side Markers
- Toolbox, Behind Cab
- Toolbox, Driver Side Chassis Frame, 24w x 24h x 24d
- Toolbox, Driver Side Subframe, 60w x 20h x 12d
- Camera System, Front, Rear and Both Sides
- Safety Cone Storage Rack - Drop in Style
- Digital Water Pressure Gauge
- (1) 8" x 3'-0" Higbee C/B Nozzle Assembly
- (1) 8" Adjustable Air Adapter
- Vector Supplied Chassis, Tandem Axle, 2018 Kenworth T880 6x4, 425 HP, Auto, 66,000 GVWR, 2013 Emissions
- 1 Printed Full Vector Manual

Chassis Source - Vactor Supplied

Module Paint Match Cab - Yes

Module Paint Color - White

Cab Color - White

Door Stripe Color - None

Chassis Axle - Tandem

Certified Unit Weight Required - No

2018 Budget Estimate:

\$425,000.00

Product Model: 2100PLUS

Estimate Date: 4/18/2017

Quote Number: 2017-20244

Price List Date: 1/1/2017

P.O. Number:

Qty: _____ Customer Initials: _____

Payment Terms:

Proposal Notes: XSL

1. Multiple unit orders will be identical to signed proposal. Changes or deviations to any unit of a multiple unit order will require a new signed proposal.
2. Chassis specifications and data codes for customer supplied chassis must be submitted to and approved by XSL prior to submittal of customer purchase order
3. All prices quoted are in US Dollars unless otherwise noted.

SIGNED BY:

_____ Date: _____

LIMITED WARRANTY

Limited Warranty. Each machine manufactured by VACTOR/GUZZLER MANUFACTURING (or, "the Company") is warranted against defects in material and workmanship for a period of 12 months, provided the machine is used in a normal and reasonable manner and in accordance with all operating instructions. In addition, certain machines and components of certain machines have extended warranties as set forth below. If sold to an end user, the applicable warranty period commences from the date of delivery to the end user. If used for rental purposes, the applicable warranty period commences from the date the machine is first made available for rental by the Company or its representative. This limited warranty may be enforced by any subsequent transferee during the warranty period. This limited warranty is the sole and exclusive warranty given by the Company.

STANDARD EXTENDED WARRANTIES (Total Warranty Duration)

2100 Series, HXX, Series and Jetters

10 years against metal water tank leakage due to corrosion. Nonmetallic water tanks are covered for 5 yrs against any factory defect in material or workmanship.

2100 Series and HXX only

5 years against leakage of debris tank, centrifugal compressor or housing due to rust-through.

2100 Series and Jetters

2 years - Vactor Rodder pump on all unit serial numbers starting with 13##V#####.

Exclusive Remedy. Should any warranted product fail during the warranty period, the Company will cause to be repaired or replaced, as the Company may elect, any part or parts of such machine that the Company's examination discloses to be defective in material or factory workmanship. Repairs or replacements are to be made at the selling Vactor/Guzzler distributor's location or at other locations approved by the Company. In lieu of repair or replacement, the Company may elect, at its sole discretion, to refund the purchase price of any product deemed defective. The foregoing remedies shall be the sole and exclusive remedies of any party making a valid warranty claim. This Limited Warranty shall not apply to (and the Company shall not be responsible for):

1. Major components or trade accessories that have a separate warranty from their original manufacturer, such as, but not limited to, trucks, engines, hydraulic pumps and motors, tires and batteries.
2. Normal adjustments and maintenance services.
3. Normal wear parts such as, but not limited to, oils, fluids, vacuum hose, light bulbs, fuses, gaskets.
4. Failures resulting from the machine being operated in a manner or for a purpose not recommended by the Company.
5. Repairs, modifications or alterations without the express written consent of the Company, which in the Company's sole judgment, have adversely affected the machine's stability, operation or reliability as originally designed and manufactured.
6. Items subject to misuse, negligence, accident or improper maintenance.

NOTE The use in the product of any part other than parts approved by the Company may invalidate this warranty. The Company reserves the right to determine, in its sole discretion, if the use of non-approved parts operates to invalidate the warranty. Nothing contained in this warranty shall make the Company liable for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure in the machine.

THIS WARRANTY SHALL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE DISCLAIMED.

This warranty is in lieu of all other obligations or liabilities, contractual and otherwise, on the part of the Company. For the avoidance of doubt, the Company shall not be liable for any indirect, special, incidental or consequential damages, including, but not limited to, loss of use or lost profits. The Company makes no representation that the machine has the capacity to perform any functions other than as contained in the Company's written literature, catalogs or specifications accompanying delivery of the machine. No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties or to assume any other liability on behalf of the Company in connection with the sale, servicing or repair of any machine manufactured by the Company. Any legal action based hereon must be commenced within eighteen (18) months of the event or facts giving rise to such action.

The Company reserves the right to make design changes or improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.



VACTOR/GUZZLER MANUFACTURING

1621 S. Illinois Street

Streator, IL 61364

TERMS AND CONDITIONS

ORDERS: All orders are subject to acceptance by Vactor Manufacturing, Inc. or Guzzler Manufacturing, Inc. (hereafter referred to as Vactor). Orders for products not normally carried in stock or requiring special engineering or manufacturing is in every case subject to approval by Vactor's Management.

PRICES: All orders are subject to current prices in effect at the time of order acknowledgement.

F.O.B. Point: Unless otherwise stated, all prices listed are F.O.B. factory.

PAYMENT TERMS: The company's payment terms are due upon receipt, unless otherwise stated. However, until such time as Vactor receives full payment, Vactor shall maintain a purchase money security interest in the product.

CANCELLATION: Orders regularly entered cannot be cancelled except upon terms that will compensate Vactor for any loss or damage sustained. Such loss will be a minimum of 10% of the purchase price.

SHIPMENT: All proposals are based on continuous and uninterrupted delivery of the order upon completion, unless specifications distinctly state otherwise. In the event that agreement is reached for Vactor to store completed items, they will be immediately invoiced to the customer and become due and payable. Storage shall be at the risk of the customer and Vactor shall be liable only for ordinary care of the property.

STORAGE CHARGES: Vactor shall charge the customer at current rates for handling and storing customer's property (e.g. truck chassis) held for more than thirty (30) days after notification of availability for shipment. All customer's property, or third party's property, that is stored by Vactor is at the customer's or other party's risk. Vactor is not liable for any loss or damage thereto caused by fire, water, corrosion, theft, negligence, or any caused beyond its reasonable control.

PERFORMANCE: Vactor shall not be liable for failure to complete the contract in accordance with its terms if failure is due to wars, strikes, fires, floods, accidents, delays in transportation or other causes beyond its reasonable control.

EXPERIMENTAL WORK: Work performed at customer's request such as sketches, drawings, design, testing, fabrication and materials shall be charged at current rates.

SKETCHES, ENGINEERING DRAWINGS, MODELS and all preparatory work created or furnished by Vactor, shall remain its exclusive property; and no use of same shall be made nor may ideas obtained therefrom be used except with the consent of and on terms acceptable to Vactor.

TAXES: The pricing attached does not include Federal, State or local taxes which are the buyer's responsibility. However, Vactor/Guzzler Manufacturing, Inc. shall be responsible for Federal Excise Tax (F.E.T.) unless it is separately stated on the invoice and added to the selling price. If F.E.T. is not separately stated on the invoice it has not been included in the price and Vactor/Guzzler will pay any F.E.T. due itself and bear the cost of the tax. Any refunds or adjustments to the F.E.T. in such cases belong to Vactor/Guzzler.

PRODUCT IMPROVEMENTS: Vactor reserves the right to change manufacturing specifications and procedure in accordance with its product improvement policy.

MOUNTING PRICES: Mounting prices assume normally factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, fuel tanks, mufflers, air tanks, etc. will be an additional charge, billed at the standard factory labor rate.

WARRANTY: Vactor warrants its products to be free from defects in material and workmanship, subject to the limitations and conditions set forth in its current published warranty. Other than those expressly stated herein. **THERE ARE NOT OTHER WARRANTIES OF ANY KIND EXPRESS OR IMPLIED, AND SPECIFICALLY EXCLUDED BUT NOT BY WAY OF LIMITATION, ARE THE IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MECHANABILITY.**

IT IS UNDERSTOOD AND AGREED THE SELLER'S LIABILITY WHETHER IN CONTRACT, IN TORT, UNDER ANY WARRANTY IN NEGLIGENCE OR OTHERWISE SHALL NOT EXCEED THE RETURN OF THE AMOUNT OF THE PURCHASE PRICE PAID BY THE PURCHASER AND UNDER NO CIRCUMSTANCES

TERMS AND CONDITIONS

SHALL SELLER BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES. THE PRICES STATED FOR THE EQUIPMENT IS A CONSIDERATION IN LIMITING SELLER'S LIABILITY. NO ACTION REGARDLESS OF FORM, ARISING OUT OF THE TRANSACTION OF THE AGREEMENT MAY BE BROUGHT BY PURCHASER MORE THAN ONE YEAR AFTER THE CAUSE OF ACTION HAS ACCURED.

SELLER'S MAXIMUM LIABILITY SHALL NOT EXCEED AND BUYER'S REMEDY IS LIMITED TO EITHER (I) REPAIR OR REPLACEMENT OF THE DEFECTIVE PART OF PRODUCT, OR AT SELLER'S OPTION (II) RETURN OF THE PRODUCT AND REFUND OF THE PURCHASE PRICE AND SUCH REMEDY SHALL BE BUYER'S ENTIRE AND EXCLUSIVE REMEDY.

This agreement shall be construed according to the laws of the State of Illinois. Failure at anytime by Vactor to exercise any right of the Company may have under this agreement shall not constitute a waiver thereof nor prejudice Vactor's right to enforce it thereafter.

This order, including the above terms and conditions, contains the complete and final agreement between the parties hereto and no other agreement in any way modifying any of said terms and conditions will be binding on Vactor unless in writing and agreed to by an authorized representative of Vactor.

I agree with the above terms and conditions:

Date: _____