A PARCEL OF LAND BEING A PART OF LOT 2, BLOCK 7, CITADEL STATION FILING NO. 6, A SUBDIVISION PLAT RECORDED UNDER RECEPTION NO. 8708767 AND A PART OF THE SOUTHEAST QUARTER OF SECTION 10 AND A PART OF THE SOUTHWEST QUARTER OF SECTION 11, TOWNSHIP 8 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN, TOWN OF CASTLE ROCK, COUNTY OF DOUGLAS, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE CENTER QUARTER CORNER OF SAID SECTION 10 AND ASSUMING THE SOUTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 10 TO BEAR SOUTH 89°27'26" EAST, 2616.68 FEET AS PLATTED, WITH ALL BEARINGS CONTAINED HEREIN BEING RELATIVE THERETO;

THENCE NORTH 00°35'04" WEST ALONG THE WEST LINE OF THE NORTHEAST QUARTER OF SAID SECTION 10, A DISTANCE OF 403.83 FEET TO THE SOUTHWESTERLY CORNER OF OUTLOT B, SAID CITADEL STATION FILING NO. 6; THENCE NORTH 70°14'23" EAST ALONG THE SOUTHERLY LINE OF SAID OUTLOT B, A DISTANCE OF 21.48 FEET, TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF WEST PLUM CREEK PARKWAY (ALSO KNOWN AS COACHLINE ROAD) AS DESCRIBED IN DEED RECORDED UNDER RECEPTION NO. 2008075142, SAID POINT BEING A POINT ON THE NORTHERLY LINE OF SAID LOT 2, BLOCK 7, SAID POINT ALSO BEING THE **POINT OF BEGINNING**:

THENCE ALONG THE NORTHERLY AND EASTERLY LINE OF SAID LOT 2, BLOCK 7 THE FOLLOWING TWENTY-TWO (22) COURSES:

- 1. CONTINUING NORTH 70°14'23" EAST, A DISTANCE OF 420.04 FEET;
- 2. NORTH 89°42'53" EAST, A DISTANCE OF 60.00 FEET;
- 3. NORTH 0°17'7" WEST, A DISTANCE OF 41.71 FEET;
- 4. NORTH 71°29'11" EAST, A DISTANCE OF 22.78 FEET;
- 5. NORTH 57°11'1" EAST, A DISTANCE OF 127.32 FEET:
- NORTH 79°57'40" EAST, A DISTANCE OF 150.30 FEET;
- 7. NORTH 33°12'60" EAST, A DISTANCE OF 188.02 FEET;
- 8. NORTH 67°16'37" EAST, A DISTANCE OF 98.12 FEET;
- NORTH 89°36'24" EAST, A DISTANCE OF 218.51 FEET;
 NORTH 57°52'24" EAST, A DISTANCE OF 190.11 FEET;
- 11.NORTH 52°55'43" EAST, A DISTANCE OF 279.75 FEET:

- 12. SOUTH 7°13'59" EAST, A DISTANCE OF 36.25 FEET, TO A POINT ON A CURVE;
- 13.ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 170.00 FEET, A CENTRAL ANGLE OF 58°05'53", AN ARC LENGTH OF 172.38 FEET, THE CHORD OF WHICH BEARS SOUTH 36°16'56" EAST, 165.09 FEET;
- 14. SOUTH 65°19'52" EAST, A DISTANCE OF 10.92 FEET;
- 15. NORTH 14°31'34" EAST, A DISTANCE OF 120.00 FEET;
- 16. NORTH 50°36'4" EAST, A DISTANCE OF 187.64 FEET;
- 17. NORTH 82°51'32" EAST, A DISTANCE OF 87.69 FEET;
- 18. NORTH 22°23'46" EAST, A DISTANCE OF 59.05 FEET;
- 19. NORTH 53°48'14" EAST, A DISTANCE OF 202.23 FEET;
- 20. SOUTH 23°36'32" EAST, A DISTANCE OF 793.03 FEET;
- 21.SOUTH 88°3'18" WEST, A DISTANCE OF 134.81 FEET;
- 22.SOUTH 0°0'15" EAST, A DISTANCE OF 700.98 FEET TO A POINT ON THE SOUTH LINE OF NORTHEAST QUARTER OF SAID SECTION 10;

THENCE SOUTH 89°27'26" EAST ALONG SAID SOUTH LINE, A DISTANCE OF 329.66 FEET TO THE EAST QUARTER CORNER OF SAID SECTION 10:

THENCE SOUTH 89°46'21" EAST ALONG THE NORTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 11, A DISTANCE OF 572.43 FEET TO A POINT ON THE WESTERLY RIGHT OF WAY LINE OF THE ATCHISON, TOPEKA & SANTA FE RAILROAD:

THENCE ALONG SAID WESTERLY RIGHT OF WAY LINE THE FOLLOWING THREE (3) COURSES:

- 1. SOUTH 1°56'48" EAST, A DISTANCE OF 173.53 FEET, TO A POINT ON A CURVE:
- 2. ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 880.93 FEET, A CENTRAL ANGLE OF 37°31'24", AN ARC LENGTH OF 576.93 FEET, THE CHORD OF WHICH BEARS SOUTH 16°48'53" WEST, 566.67 FEET;
- 3. SOUTH 35°34'35" WEST, A DISTANCE OF 193.47 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF WEST PLUM CREEK PARKWAY AS DESCIRBED IN DEED RECORDED UNDER RECEPTION NO. 2008054850;

THENCE ALONG THE RIGHT OF WAY AS DESCRIBED THE FOLLOWING FOURTEEN (14) COURSES:

- 1. NORTH 75°34'19" WEST, A DISTANCE OF 170.83 FEET, TO A POINT ON A CURVE:
- 2. ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 665.50 FEET, A CENTRAL ANGLE OF 17°49'03", AN ARC LENGTH OF 206.95 FEET, THE CHORD OF WHICH BEARS NORTH 66°39'48" WEST, 206.12 FEET;
- 3. NORTH 32°14'44" EAST, A DISTANCE OF 6.00 FEET;
- 4. NORTH 57°45'16" WEST, A DISTANCE OF 709.16 FEET;
- 5. NORTH 18°59'47" WEST, A DISTANCE OF 32.16 FEET;
- 6. NORTH 32°14'44" EAST, A DISTANCE OF 275.60 FEET, TO A POINT ON A CURVE:
- 7. ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 910.00 FEET, A CENTRAL ANGLE OF 07°46'45", AN ARC LENGTH OF 123.55

FEET, THE CHORD OF WHICH BEARS NORTH 28°21'22" EAST, 123.46 FEET TO A POINT ON THE SOUTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 10:

8. NORTH 89°27'26" WEST AND ALONG SAID SOUTH LINE, A DISTANCE OF

133.30 FEET, TO A POINT ON A CURVE;

- 9. ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 790.00 FEET, A CENTRAL ANGLE OF 03°51'20", AN ARC LENGTH OF 53.16 FEET, THE CHORD OF WHICH BEARS SOUTH 30°19'4" WEST, 53.15 FEET;
- 10. SOUTH 32°14'44" WEST, A DISTANCE OF 274.89 FEET;
- 11. SOUTH 83°29'15" WEST, A DISTANCE OF 33.31 FEET;
- 12. NORTH 57°45'16" WEST, A DISTANCE OF 380.82 FEET;
- 13. SOUTH 32°14'44" WEST, A DISTANCE OF 6.00 FEET, TO A POINT ON A CURVE:
- 14.ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 864.50 FEET, A CENTRAL ANGLE OF 14°13'19", AN ARC LENGTH OF 214.59 FEET, THE CHORD OF WHICH BEARS NORTH 64°51'56" WEST, 214.04 FEET TO A POINT ON THE SOUTH LINE OF THE NORTHEAST QUARTER OF SAID SECTION 10, SAID POINT ALSO BEING A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF WEST PLUM CREEK PARKWAY AS DESCRIBED IN DEED RECORDED UNDER RECEPTION NO. 2008075142;

THENCE ALONG SAID NORTHERLY RIGHT OF WAY LINE THE FOLLOWING THREE

(3) COURSES:

- 1. CONTINUING ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 864.50 FEET, A CENTRAL ANGLE OF 17°28'53", AN ARC LENGTH OF 263.77 FEET, THE CHORD OF WHICH BEARS NORTH 80°43'02" WEST, 262.74 FEET;
- 2. NORTH 89°27'28" WEST, A DISTANCE OF 548.00 FEET, TO A POINT ON A

CURVE;

3. ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 500.50 FEET, A CENTRAL ANGLE OF 75°02'22", AN ARC LENGTH OF 655.50 FEET, THE CHORD OF WHICH BEARS NORTH 51°56'17" WEST, 609.64 FEET TO THE **POINT OF BEGINNING**,

SAID PARCEL CONTAINING A CALCULATED AREA OF 2,871,687 SQUARE FEET OR 65.925 ACRES, MORE OR LESS.

ALL REFERENCES TO RECORDED DOCUMENTS ARE FILED WITH THE DOUGLAS COUNTY CLERK AND RECORDER.

THE LINEAL UNIT USED IN THE PREPARATION OF THIS PLAT IS THE U.S. SURVEY FOOT AS DEFINED BY THE UNITED STATES DEPARTMENT OF COMMERCE, NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.


I, WILLIAM F. HESSELBACH JR., A SURVEYOR LICENSED IN THE STATE OF COLORADO, DO HEREBY CERTIFY THAT THE ABOVE LEGAL DESCRIPTION AND ATTACHED EXHIBT WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND CHECKING. THE LEGAL DESCRIPTION WAS PREPARED FROM EXISTING

PLATS AND RECORDED DOCUMENTS. THIS DOES NOT REPRESENT A MONUMENTED LAND SURVEY.

WILLIAM F. HESSELBACH JR., P.L.S. 25369

FOR AND ON BEHALF OF

CVL CONSULTANTS OF COLORADO, INC.



Rd