


2018 Castle Rock CDC Trap Composite Data

Total number of trap/nights set: 39
 Total number of mosquitoes collected: 2,781
 Average mosquitoes per trap/night: 71
 Average Culex per trap/night: 13

Species collected and abundance:


<i>Aedes (Oc.) dorsalis</i>	1	0.0 %
<i>Aedes (Oc.) hendersoni</i>	1	0.0 %
<i>Aedes (Oc.) increpitus</i>	49	1.8 %
<i>Aedes (Oc.) trivittatus</i>	176	6.3 %
<i>Aedes vexans</i>	2016	72.5 %
<i>Aedes/Ochlerotatus spp</i>	1	0.0 %
<i>Anopheles hermsi</i>	1	0.0 %
<i>Culex pipiens</i>	274	9.9 %
<i>Culex salinarius</i>	98	3.5 %
<i>Culex tarsalis</i>	138	5.0 %
<i>Culiseta inornata</i>	26	0.9 %

Seasonality



Genus proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	2,244	80.7 %
<i>Anopheles</i>	1	0.0 %
<i>Culex</i>	510	18.3 %
<i>Culiseta</i>	26	0.9 %
Other	0	0.0 %




2018 Centennial CDC Trap Composite Data

Total number of trap/nights set: 51
 Total number of mosquitoes collected: 3,797
 Average mosquitoes per trap/night: 74
 Average Culex per trap/night: 13

Species collected and abundance:


<i>Aedes (Oc.) dorsalis</i>	17	0.4 %
<i>Aedes (Oc.) increpitus</i>	3	0.1 %
<i>Aedes (Oc.) trivittatus</i>	577	15.2 %
<i>Aedes vexans</i>	2495	65.7 %
<i>Culex pipiens</i>	355	9.3 %
<i>Culex salinarius</i>	33	0.9 %
<i>Culex tarsalis</i>	299	7.9 %
<i>Culiseta inornata</i>	18	0.5 %

Seasonality



Genus proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	3,092	81.4 %
<i>Anopheles</i>	0	0.0 %
<i>Culex</i>	687	18.1 %
<i>Culiseta</i>	18	0.5 %
Other	0	0.0 %




2018 Arapahoe County CDC Trap Composite Data

Total number of trap/nights set: 40
 Total number of mosquitoes collected: 1,194
 Average mosquitoes per trap/night: 30
 Average Culex per trap/night: 11


Species collected and abundance:

<i>Aedes (Oc.) dorsalis</i>	25	2.1 %
<i>Aedes (Oc.) flavescens</i>	2	0.2 %
<i>Aedes (Oc.) nigromaculis</i>	2	0.2 %
<i>Aedes (Oc.) trivittatus</i>	12	1.0 %
<i>Aedes vexans</i>	689	57.7 %
<i>Aedes/Ochlerotatus spp</i>	2	0.2 %
<i>Anopheles hermsi</i>	2	0.2 %
<i>Culex pipiens</i>	151	12.6 %
<i>Culex salinarius</i>	6	0.5 %
<i>Culex tarsalis</i>	294	24.6 %
<i>Culiseta inornata</i>	9	0.8 %



Genus proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	732	61.3 %
<i>Anopheles</i>	2	0.2 %
<i>Culex</i>	451	37.8 %
<i>Culiseta</i>	9	0.8 %
Other	0	0.0 %




2018 Parker CDC Trap Composite Data

Total number of trap/nights set: 25
 Total number of mosquitoes collected: 2,417
 Average mosquitoes per trap/night: 97
 Average Culex per trap/night: 27

Species collected and abundance:


<i>Aedes (Oc.) dorsalis</i>	6	0.2 %
<i>Aedes (Oc.) hendersoni</i>	1	0.0 %
<i>Aedes (Oc.) increpitus</i>	5	0.2 %
<i>Aedes (Oc.) trivittatus</i>	181	7.5 %
<i>Aedes vexans</i>	1496	61.9 %
<i>Culex pipiens</i>	271	11.2 %
<i>Culex salinarius</i>	90	3.7 %
<i>Culex tarsalis</i>	326	13.5 %
<i>Culiseta incidens</i>	1	0.0 %
<i>Culiseta inornata</i>	40	1.7 %

Seasonality



Genus proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	1,689	69.9 %
<i>Anopheles</i>	0	0.0 %
<i>Culex</i>	687	28.4 %
<i>Culiseta</i>	41	1.7 %
Other	0	0.0 %




2018 Columbine Valley CDC Trap Composite Data

Total number of trap/nights set: 24
 Total number of mosquitoes collected: 2,743
 Average mosquitoes per trap/night: 114
 Average Culex per trap/night: 25

Species collected and abundance:

<i>Aedes (Oc.) dorsalis</i>	2	0.1 %
<i>Aedes (Oc.) hendersoni</i>	3	0.1 %
<i>Aedes (Oc.) increpitus</i>	3	0.1 %
<i>Aedes vexans</i>	2117	77.2 %
<i>Culex pipiens</i>	222	8.1 %
<i>Culex salinarius</i>	36	1.3 %
<i>Culex tarsalis</i>	337	12.3 %
<i>Culiseta inornata</i>	23	0.8 %

Seasonality



Genus proportions:

Genus	Number	Percent of Total
<i>Aedes/Ochlerotatus</i>	2,125	77.5 %
<i>Anopheles</i>	0	0.0 %
<i>Culex</i>	595	21.7 %
<i>Culiseta</i>	23	0.8 %
Other	0	0.0 %

