ATTACHMENT B



COPYRIGHT 2018 ROBERT C. WACKER ALL RIGHTS RESERVED THE PLANS, DRAWINGS, ELEVATIONS, ILLUSTRATIONS, AND OTHER MATERIALS CONTAINED ON THESE PAGES ARE THE SOLE PROPERTY OF ROBERT C. WACKER AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF ROBERT C. WACKER.

GENERAL NOTES:

1. ~~2015 AND~~ 2018 IRC BUILDING CODES MET
2. SNOW LOAD 35 LBS. PER SQ. FT.
3. ELECTRICAL 130 VOLT
4. CLIMATE EXPOSURE C
5. WIND 105 MPH EXP C (ASD) - 135 MPH EXP C (UH)

ADDITION AREA .....401 SQ. FT.



1 A2 sunroom floor plan

scale 1/4" = 1' - 0"



2 A2 left & right side elevations

scale 1/4" = 1' - 0"



3 A2 front elevation

scale 1/4" = 1' - 0"

COLORADO REGISTERED ROBERT C. WACKER 15814 8/5/2021 PROFESSIONAL ENGINEER

ROBERT C. WACKER
ARCHITECTURAL DESIGN STUDIO
5581 SPRUCE AVENUE
CASTLE ROCK COLORADO 80104
303.359.7580

COLORADO SUNROOM and WINDOW DISTRIBUTERS
641 SOUTH IAVON STREET
DENVER COLORADO 80223
303.715.0777

VILLAGIO
399 GILBERT STREET
CASTLE ROCK COLORADO 80104

DATE	07.29.2021
DRAWN BY	RCW
CHECKED BY	
JOB NO.	

REVISIONS

A2

COPYRIGHT 2018 ROBERT C. WACKER ALL RIGHTS RESERVED THE PLANS, DRAWINGS, ELEVATIONS, ILLUSTRATIONS, AND OTHER MATERIALS CONTAINED ON THESE PAGES ARE THE SOLE PROPERTY OF ROBERT C. WACKER AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF ROBERT C. WACKER.



3 / A3 **section**

scale ½" = 1' - 0"



1 / A3 **roof plan**

scale ¼" = 1' - 0"



2 / A3 **electrical plan**

scale ¼" = 1' - 0"

LIGHTING / ELECTRICAL LEGEND

- duplex outlet
- recessed downlight
- recessed wallwasher - style per owner
- fixture selection by owner
- decorative wall light - interior or exterior
- exhaust fan
- 1" undercabinet light
- smoke detector
- ceiling fan
- switch - one location
- gas service - fireplace, appliances, hvac, etc.
- track strip (size per owner)
- VIF — verify location in field
- combination smoke and carbon monoxide detector

NOTE:
A MINIMUM OF 75 PERCENT OF LAMPS IN PERMENENTLY INSTALLED LIGHTING FIXTURES SHALL BE HIGH-EFFICACY LAMPS.

COLORADO REGISTERED ROBERT C. WACKER 15814 3/5/2021 PROFESSIONAL ENGINEER

ROBERT C. WACKER
A RESIDENTIAL DESIGN STUDIO
5581 SPRUCE AVENUE
CASTLE ROCK COLORADO 80104
303.359.7580

COLORADO SUNROOM and WINDOW DISTRIBUTERS
641 SOUTH JASON STREET
DENVER COLORADO 80223
303.715.0777

VILLAGIO
399 GILBERT STREET
CASTLE ROCK COLORADO 80104

DATE	07.29.2021
DRAWN BY	RCW
CHECKED BY	
JOB NO.	

REVISIONS

A3